

# COVID-19 Update

Grant Colfax, MD  
Director of Health

April 19, 2022




SAN FRANCISCO DEPARTMENT OF PUBLIC HEALTH




# SF COVID cases per 100,000 residents

COVID+ Cases per 100,000 Population (7-day Average)




\*\*Data are limited to specimens collected at least two days prior to today's report date AND resulted at least one day prior to today's report date. Result date is used in place of specimen collection date if specimen collection date is missing.

# COVID Cases and Deaths



# COVID Deaths by Month



# Case Rates by Vaccination Status




7-day average case rate among unvaccinated residents

**26.4**

7-day average case rate among residents who rec'd initial vaccine series

**14.4**


7-day rolling average case rate per day by vaccination status





# Hospitalizations

25 individuals on 4/5/22, includes 1 in ICU






# Vaccine Administration

	Underlying Population	At Least One Dose	% of Population At Least 1 Dose	Vaccination Completed	% of Population Vax Completed	Residents Boosted	% of Vax Residents Boosted
All Residents	874,787	787,035	90%	725,668	83%	476,871	66%
Residents 5+	835,137	786,857	>90%	725,668	87%	476,871	66%
Residents 12+	791,131	752,268	>90%	693,993	88%	476,835	69%
Residents 65+	135,027	135,909	>90%	128,698	>90%	107,780	84%
Residents 75+	60,907	55,651	>90%	52,643	86%	44,485	85%

5-11 yrs: 78% at least one dose; 72% completed initial series



# Booster Recipients by Age







# Local and National Updates

## **SFDPH recommends San Franciscans take basic actions to be prepared for future changes in COVID-19:**

- Stay up to date on your vaccinations – including the primary series and boosters, when eligible
- Know how to reach a doctor, especially if you are at high risk for severe illness.
- Keep a supply of rapid test kits on hand.
- Keep masks handy with well-fitted N95/KN95s, or cloth over surgical masks.
- Plan ahead for a possible infection. You may need an isolation plan, a child-care plan, or a work plan.
- Stay informed with trusted sources of information, such as: [SF.gov/covid](https://www.sfgov.gov/covid)

## **CDC recommends a second COVID booster dose**—at least 4 months after initial booster—for certain populations:

- Those who are 65 and older, or
- Over the age of 50 with underlying medical conditions, or
- Certain immunocompromised individuals

**As of April 18, TSA will no longer enforce travel mask mandate** for planes and trains, following federal judge ruling