




l.	ı. PENDING SURVEYS			
Survey	rvey Frequency		ncy Anticipated Timeframe	
CMS Outpatient Dialysis Recertification Annual		Annual	Unannounced anytime	
CDPH 4A Licensing Triennial		Triennia	l Unannounced anytime	
CDPH General Acute Care Hospital Licensing Triennial		Triennia	l Unannounced anytime	
CDPH/CMS Complaint Validation Re-visit Once		Once	Unannounced	
II. SURVEY ACTIVITY				
Survey Date	Agency / Survey	Location	Details	
		Surveyed		
July 15-19, 2024	CMS/CDPH 4A SNF Annual Recertification	4A SNF	Findings identified included general cleanliness within the kitchen area (specifically under cooking equipment), hand hygiene during tray line, ice machine maintenance, care planning documentation, insulin injection site rotation, disposal of expired muti-use vials, and behavior monitoring and consent for psychotropic medications. During this visit, document requests and investigation were also initiated for a number of facility reported incident (FRIs) dating back to 2022.	
July 22, 2024	CDPH 4A SNF Life Safety Code (LSC) Survey	4A SNF	 Dust on fire sprinkler head Metal elevator door blocking electrical panel in kitchen Documentation of semi-annual (visual) inspection of fire alarm system Testing/replacement of >50 yr old sprinkler heads Fire detection, alarm, and suppression systems not specifically defined as backed up by generator in disaster plan 	
III. PLANS OF CORRECTION SUBMITTED				
Survey (year) or Event (date of incident) Finding Requiring Monitoring				
Privacy Breach POC – DOI 7/6/2023			 The facility failed to prevent unlawful or unauthorized access to, and use or disclosure of two patients medical information when a health worker 1 (HW1) accessed their records without written authorization or a business need to do so. 	





7 Events (3 Covid Outbreaks, 2 HAPIs, 1 RFO, 1 Privacy Breach) reported in July 2024

V. PLAN OF CORRECTION MONITORING DATA

Please see PIPS minutes for full report of monitoring data. As of 7/31/24, 70 of 82 findings have successfully completed the corrective action monitoring phase, if required.

