




I. PENDING SURVEYS									
Survey Frequency		Frequei	ncy Anticipated Timeframe						
CMS Outpatient Dialysis Recertification Annual		Annual	Unannounced anytime						
CDPH 4A Licensing		Triennia	al Unannounced anytime						
CDPH General Acute Care Hospital Licensing		Triennia	al Unannounced anytime						
CDPH 4A revisit		Once	Unannounced before October 19, 2024						
CARF OTOP Accredi	CARF OTOP Accreditation Survey		Scheduled October 2-4, 2024						
II.	SUR	VEY ACTIVITY							
Survey Date	Agency / Survey	Location	Details						
		Surveyed							
August 7, 2024	CDPH/CMS Complaint	Inpatient	All condition level findings lifted. No new findings identified.						
	Validation Re-Visit	Psychiatry							
August 13, 2024	California State Board of	Pharmacy	Follow up items included:						
	Pharmacy (BOP) Sterile		 Providing ADDS self-assessment to BOP Submtiting timeline for incorporation of USP 797 policy guidelines 						
	Compounding Relicensing								
	Survey								
August 26-30,	DHCS OBOT/OTOP Survey	OBOT and	One minor finding identified related to documenation of patient tattoos.						
2024		ОТОР							
		Programs							
.		NS OF CORREC	CTION SUBMITTED						
	vent (date of incident)		Findings Requiring Monitoring included:						
July 15-19, 2024 –	CMS/CDPH 4A SNF Annual Red	certification	Findings identified included general cleanliness within the kitchen area						
			(specifically under cooking equipment), hand hygiene during tray line, ice						
			machine maintenance, care planning documentation, insulin injection site						
			rotation, disposal of expired muti-use vials, and behavior monitoring and						
L L 22 2024 CD	DIL 4A CNE L'És Cafal. Cada (10	·C\ C	consent for psychotropic medications.						
July 22, 2024 – CD	PH 4A SNF Life Safety Code (LS	C) Survey	1. Dust on fire sprinkler head						
			2. Metal elevator door blocking electrical panel in kitchen						
			Documentation of semi-annual (visual) inspection of fire alarm system						
			4. Testing/replacement of >50-year-old sprinkler heads						
			5. Fire detection, alarm, and suppression systems not specifically						
			defined as backed up by generator in disaster plan						
			defined as backed up by generator in disaster plan						



August 13, 2024 – BOP Sterile Compounding Relicensing Survey

ADDS self-assessment and timeline for incorporation of USP 797 policy guidelines submitted.




7 Events (2 Privacy Breaches, 1 Covid Outbreak, 1 Other, 1 HAPI, 1 Facility Incident, 1 Alleged Sexual Assault) reported in August 2024



v. PLAN OF CORRECTION MONITORING DATA

Please see PIPS minutes for full report of monitoring data. As of 8/31/24, 71 of 82 findings from the Joint Commission Hospital and NCC survey and 4/16 findings from the Inpatient Psychiatry Complaint Validation survey have successfully completed the corrective action monitoring phase, if required.






VII.

FACILITY REPORTED INCIDENT DATA


2023 CDPH Facility Reported Incident (FRI) Summary:



	FRIs Pending CDPH	CDPH Investigation	Closed without	Closed with
Total Reported FRIs	Initiation	Started	Deficiencies	Deficiencies
50	39	5	6	0



2024 CDPH Facility Reported Incident (FRI) Summary:



	FRIs Pending CDPH	CDPH Investigation	Closed without	Closed with
Total Reported FRIs	Initiation	Started	Deficiencies	Deficiencies
30	28	2	0	0