

Pediatric Symptom Checklist (PSC-35) Scoring Sheet

<u>Note</u> : Thi	s is an OPTIONAL tool that a care provider/clir	ician can use to give meaning to the PSC ratings.						
Child/Yout	h's Name:	PSC-35 Filled out by:						
-	h's Date of Birth:	Name of Care Provider/Clinician/						
-	nt Date (mm/dd/yyyy):	Case Manager:						
	, , , , , , , , , , , , , , , , , , , ,	Ü						
Item No.	Attention subscale items	Never (0), Sometimes (1), or Often (2)						
4	Fidgety, unable to sit still							
7	Acts as if driven by a motor							
8	Daydreams too much							
9	Distracted easily							
14	Has trouble concentrating							
Attention subscale score: (Cutoff score: 7)								
Item No.	Internalizing subscale items	Never (0), Sometimes (1), or Often (2)						
11	Feels sad, unhappy							
13	Feels hopeless							
19	Is down on him or herself							
22	Worries a lot							
27	Seems to be having less fun							
	Internalizing subscale sc	ore: (Cutoff score: 5)						
Item No.	Externalizing subscale items	Never (0), Sometimes (1), or Often (2)						
16	Fights with others							
29	Does not listen to rules							
31	Does not understand other people's feelings							
32	Teases others							
33	Blames others for his or her troubles							
34	Takes things that do not belong to him/her							
35	Refuses to share							
Externalizing subscale score: (Cutoff score: 7)								
The School	subscale items apply only to children ages 6 thro	ough 17						
Item No.	School subscale items	Never (0), Sometimes (1), or Often (2)						
5	Has trouble with a teacher							
6	Less interested in school							
	l							
17	Absent from school							
17 18	Absent from school School grades dropping							

School subscale score: _____ (Cutoff score: 4)

No.	Other items		0, 1, or 2		No.	Other items	0, 1, or 2		2
1	Complains of aches/pains				21	Has trouble sleeping			
2	Spends more time alone				23	Wants to be with you more than before			
3	Tires easily, has little energy				24	Feels he or she is bad			
10	Is afraid of new situations				25	Takes unnecessary risks			
12	Is irritable, angry				26	Gets hurt frequently			
15	Less interest in friends				28	Acts younger than children his or her age			
20	Visits doctor w/ doctor finding		30	Does not show feelings					
	nothing wrong								

Total of 14 Other items not included in 4 subscales:

Total Score for Children Ages 3 through 5

Total Score for Children	en Ages 3 through 5
Total Score (Attention subscale score + Internalizing Total of items not included in 3 subscale	
Note: If 4 or more items are left blank, the questionnaire is countries the Total score is still 24 or above	nsidered invalid so Total score should not be calculated,
☐ 24 or above = psychological impairment	\square 23 or below = not impaired
Total Score for Childre	n Ages 6 through 17
Total Score (Attention subscale score + Internalizing School subscale score + Total of items no	_
Note: If 4 or more items are left blank, the questionnaire is countries the Total score is still 28 or above	nsidered invalid so Total score should not be calculated,
☐ 28 or above = psychological impairment	\square 27 or below = not impaired