STUDENT РНОТО

ALLERGY EMERGENCY CARE PLAN

For School U	se Only	 	_	 _	-	-	 _	-	-	_
Location of N	/ledication:							_		

TO BE COMPLETED BY PARENT/CAREGIVER								
Student Name	DOB	School			Grade	Homeroom Teacher		Room
Parent/Caregiver Name		Home Phoi	пе	Cell Phone	Email			
TO BE COMPLETED BY THE HEALTH CARE PROVIDER								
Type(s) of Allergy(ies)				Name	of Health Care Provi	ider	Phone	

FOR ANY OF THE FOLLOWING **SEVERE SYMPTOMS**

[] If checked, give epinephrine immediately if the allergen



Short of breath, wheezing,

repetitive cough



Pale, blue, faint,



Tight, hoarse, weak pulse, dizzy trouble breathing/ swallowing



Significant swelling of the tongue and/or lips



SKIN Many hives over body, widespread redness



Repetitive vomiting or severe diarrhea



Feeling something bad is about to happen. anxiety, confusion



of mild or severe symptoms from different body areas.













Alert parents/caregivers

- If symptoms do not improve, or symptoms return, give a second dose of Epinephrine 5 minutes after first dose
- Administer CPR if breathing stops

NOTE: WHEN IN DOUBT, GIVE EPINEPHRINE.

MILD SYMPTOMS

NOSE - Itchy, runny

SKIN - Rash, itchy

MOUTH - Itchy



_ (G	п	w	Δ	•
_ '	u		v	c	

/Madiantian	

(Medication)

- Stay with student
- □ Watch student closely for changes
- ☐ If symptoms worsen, GIVE EPINEPHRINE

ш.	Other				

I authorize school personnel to implement this Allergy Emergency Plan as described. I have completed a current (within this school year) medication form FOR EACH medication to be given						
Health Care Provider Signature & NPI # Date						
I give my consent for school authorities to take appropriate action for the safety and welfare of my child. I give my consent to communicate with the authorized health care provider when necessary.						
Parent/Caregiver Signature Date						
Notify parent/guardian and document about what happened in the First Aid and Medication Logs.						

*By law, a completed and signed current (within this school year) Medication Form must be on file at the school before medication can be administered at school. **GRAPHICS ADAPTED FROM FOOD ALLERGY RESEARCH & EDUCATION (FARE)**